Power40 product information sheet

Product Specifications

Fits most: 23” - 46” flat panels
Supports up to: 66 lbs (30 kg)
Tilt: Up to +15º
Pan: Up to 20º left and right
Mounting profile: 2.72” (69mm)
Maximum usable extension: 7.44” (189mm)
VESA compliant: 100x100 to 300x200 (up to 400x400 with included adapters)
Mounting: Single-stud
UL listed: Yes
CE listed: Yes
TÜV GS listed: Yes
Warranty: 12 months
Color: Black



Product Benefits

- Reposition your flat panel from anywhere in a room with remote control
- Tilt, pan and swivel for maximum viewing flexibility
- Remote controllable via IR (two programmable positions) and RS232 (three programmable positions). Remote control and RS232 cable included.
- Safety mechanism stops motion when movement is obstructed
- Lift n’ Lock™ for quick installation
- Virtually silent operation (40dB)
- Programmable wall detection
- Includes adapters for greater VESA compatibility
- Installation template for simple and accurate mounting
- Includes level and complete Grade 5 hardware kit



The Power40 offers all the advantages of automation including a programmable remote control so you can reposition the mount from anywhere in a room

Recipient of the 2008 Residential Systems Resi Award

Series



2008 Resi Award

2008 Custom Retailer EXCITE Award

Power40



Power55



Lift42



Dedicated to being a one-stop shop for professional products, OmniMount remains on the cutting edge of product innovation. That’s why we’re the natural choice for any professional, industrial, or commercial application. OmniMount remains on the cutting-edge of innovation by offering the MotionPicture Series – a full line of remote controlled motorized mounts designed with the convenience of automation. The Power40 is a state-of-the-art remote controlled motorized cantilever mount that tilts, pans and swivels medium flat panels from anywhere in a room with the touch of a button.

Power40 technical data sheet

Product Specifications

Fits most: 23” - 46” flat panels
Supports up to: 66 lbs (30 kg)
Tilt: Up to +15º
Pan: Up to 20º left and right
Mounting profile: 2.72” (69mm)
Maximum usable extension: 7.44” (189mm)
VESA compliant: 100x100 to 300x200 (up to 400x400 with included adapters)
Mounting: Single-stud
UL listed: Yes
CE listed: Yes
TÜV GS listed: Yes
Warranty: 12 months
Color: Black



Product Benefits

- Reposition your flat panel from anywhere in a room with remote control
- Tilt, pan and swivel for maximum viewing flexibility
- Remote controllable via IR (two programmable positions) and RS232 (three programmable positions). Remote control and RS232 cable included.
- Safety mechanism stops motion when movement is obstructed
- Lift n’ Lock™ for quick installation
- Virtually silent operation (40dB)
- Programmable wall detection
- Includes adapters for greater VESA compatibility
- Installation template for simple and accurate mounting
- Includes level and complete Grade 5 hardware kit


	Stock Code	Packaging UPC	MC UPC
Americas	1004316-1	728901022661	NA
International	NA	NA	NA

	Dimensions WxDxH Inches (mm)	Wt lbs (kg)
Product Box	20 x 17.8 x 7.5 (508x452x191)	22 (10)
Master Carton	NA	NA


Box Contents	Qty
Motorized wall mount	1
Adapter	4
Remote control	1
RS232 cable	1
IR receiver	1
Power adapter	1
Power cord	1


Box Contents	Qty
Adapter housing	1
Complete mount installation hardware kit	1
Complete panel attachment hardware kit	1
Level	1
Installation template	1
Instruction manual	1
Flat panel compatibility chart	1


Power40 line drawing




Without adapters







With adapters option 1



With adapters option 2

inches (mm)